

**INNOVATIVE DESIGN TO ATTRACT ATTENTION** 

QUICK AND EASY SETUP IN ONLY 5 MINUTES




# THE NEW INFLATABLE REVOLUTION











TRAVEL

**UNFOLD** 

INFLATE

**ENJOY** 

#### **INFLATE YOUR IDEAS**

We focused our research and development on designing a unique, and attractive tent that was able to handle severe weather conditions, like heavy wind, rain, and even snow storms on rugged terrains, mountains and beaches.

The result was far beyond our first expectations and we are very proud to introduce this revolutionary product and its unrivaled innovations.

#### AIRDOME. THE INFLATABLE SOLUTION

#### **AVAILABLE SIZES**





#### **AERODYNAMIC SHAPE TECHNOLOGY**



Our AirDome is carefully designed to withstand winds up to 50 mph. This unique tent works along the principles of "mechanical distortion," meaning it will absorb the wind power coming from any direction and will always stay stable. Furthermore, this tent is free of any hardware that could damage its surrounding environment, a feature providing optimal safety to people and their property.



This fast and efficient inflating valve is used to create unidirectional air flow. No air will escape when you unplug your pump.



Anchoring your tent anywhere has never been so easy.



Heavy duty zippers allow you to add walls and windows to your AirDome with ease.



For maximum security against overinflation. Our valve will automatically release excess air when optimum tube pressure is reached - Operating Pressure is 3psi (200 mbar).

# DACRON® OUTER TUBE FOR EXTENSIVE PROTECTION

Dacron<sup>®</sup> makes all the difference between our products and the competition. This fabric offers so much rigidity; the frame beams become as strong as rocks when inflated.

This fabric is often compared to Kevlar which is used to make parachute ropes. We chose Dacron® for its high resistance in both wet and dry conditions, and its great performance against abrasion. Dacron® also has a low absorbency, allowing the fiber to dry quickly.

#### **EXTRA-STRONG 8-LAYER SEAMS**

We use a solid 8-Layer seam stitch, the only way to guarantee the correct air pressure resistance.



# POLYURETHANE INNER TUBE WITH AIRTIGHT TECHNOLOGY – AIT (AIRTIGHT INNER TUBE)

Our AIT (Airtight Inner Tube) technology does not require a constant air supply. What does that mean? For most inflatable products found on the market today, a noisy blower constantly supplying air is need to keep good pressure in its structure.

This is noisy, and requires electricity, which is not always conveniently available. Our AIT technology eliminating the need for constant air flow!

Once the frame is pumped up, the air is sealed off inside and won't be released until you open the valves.



Material Top and walls are made with our 600 Denier Polyester: Perfect for outdoor use in harsh climates. This fabric has a superb visual aspect, an endless choice of colors and great stability with customization.

This high-end material has a sophisticated finish that will give a warm and classy look to your tents. Its upgraded PU coating, guarantees great protection against wind, water, and UV rays. Not to mention all our fabrics are flame retardant.

Printing Tips High Resolution full color digital dye sublimation printing means "Full bleed printing."

You can print anywhere without restrictions: any logo or image dimensions, any number of colors, any design - basically we print anything.

#### HIGH WIND STABILIZER BEAM



We developed this unique stabilizer beam with patented technology to add extra support to your tent in case of rough windy conditions.

This beam can be inflated in less than a minute and then installed in between the tents legs.



	EXTRA BEAM
10'x10'	ADRB10DANP
13'x13'	ADRB13DANP
17'x17'	ADRB17DANP





#### **CHOOSE YOUR TOP**

ITEM # CHART	AIRDOME		
	FULLY PRINTED	SOLID COLOR*	
10'x10'	AD1010PODS	AD1010PONP	
13'x13'	AD1313PODS	AD1313PONP	
17'x17'	AD1717PODS	AD1717PONP	

#### **CHOOSE YOUR WALL**

ITEM # OLIABT	WALL	
ITEM # CHART	FULLY PRINTED	SOLID COLOR*
10'	ADWA10PODS	ADWA10PONP
13'	ADWA13PODS	ADWA10PONP
17'	ADWA17PODS	ADWA10PONP

WALL with WINDOW		
FULLY PRINTED	SOLID COLOR*	
ADWW10PODS	ADWW10PONP	
ADWW13PODS	ADWW13PONP	
ADWW17PODS	ADWW17PONP	

# \* SOLID COLORS AVAILABLE WHT BLK GRE - PMS 349c RED - PMS 187c NBL - PMS 534c ORA - PMS 021c FGR - PMS 3308c YEL - PMS 123c BEI - PMS 468c RBL - PMS 294c

PMS colors are for reference only and may vary slighly from actual color.

<sup>\*</sup> Specify the color when placing order, white is the default. To order specific color, add the color reference to the item #.

<sup>\*\*</sup> To order double sided printed walls and railskirts, please add "double sided" in the item descriptions.

#### **CHOOSE YOUR TENT CONNECTORS**



ITEM	#	CHART
1 1 1 11	π	CHAIL

10'x10' to 10'x10' 10'x10' to 13'x13' 10'x10' to 17'x17'

#### **TENT CONNECTORS**

**SOLID COLOR\*** FULLY PRINTED ADTC00PODS ADTC00PONP ADTC03PODS ADTC03PONP ADTC07PODS ADTC07PONP

#### **ITEM # CHART**

13'x13' to 13'x13' 13'x13' to 17'x17' 17'x17' to 17'x17

#### **TENT CONNECTORS**

**SOLID COLOR\* FULLY PRINTED** ADTC33PODS ADTC37PONP ADTC37PODS ADTC37PONP ADTC77PODS ADTC77PONP

#### **CHOOSE YOUR AWNING**




ITEM # CHART
10'
13'

AWNINGS		
FULLY PRINTED	SOLID COLOR*	
ASAW10PODS	ASAW10PONP	
ASAW13PODS	ASAW13PONP	
ASAW17PODS	ASAW17PONP	

### **CHOOSE YOUR BANNER**





#### **AWNING BANNERS FULLY PRINTED SOLID COLOR\*** ADBA10PONP ADBA10PODS ADBA13PODS ADBA13PONP

ADBA17PONP



## **INFLATE YOUR IDEAS**



LIGHT WIND STAKES KIT Secures tent to the ground. Includes 4 stakes, 4 ropes, and 1 storage

bag. REF. # VI11SE01



EASY HFAVY DUTY RATCHET + ROPE Automatic lock release rope & ratchet – Holds up to 250 lbs.



ADBA17PODS

PROFESSIONAL STAKES 3/8" X 18"

Designed to hold your tent in place in case of heavy winds. This is a must have in rough conditions REF. # VI11SE02



30LB RUBBER WEIGHTS Ballast weights - the perfect solution to anchor your tent on asphalt - 30 lbs each.

REF. # VI11SE06



ELECTRIC PUMP Output: 1700 I/min Max pressure: 250 mbar Power: 1000 W REF. # AD11AC02



RECHARGEABLE PUMP WITH BATTERY Output: 450 I/min Max pressure: 800 mbar Battery: Charges about 3 Tents with 1 cycle Rechargeable with AC and 12V

REF. # AD11AC03

. . . . . . . . . . . . . . . . . . .